



SPECIFICATIONS – AVANT 755i

LIFT CAPACITY

1400
kg

ENGINE POWER

57 hp
diesel

LIFT HEIGHT

3.1 m

SPEED

17
km/h

AVANT[®] (uk) UK SPECIFICATIONS



LENGTH	3060 mm
WIDTH	1290 mm
HEIGHT	2060 mm
WEIGHT	1970 kg
STANDARD WHEELS	320/60-12HD TR
TRANSMISSION, DRIVE	hydrostatic Avant Optidrive™
PULLING FORCE MAX.	1330 kp
DRIVE SPEED MAX.	17 km/h
AUX. HYDRAULICS OIL FLOW / PRESSURE	80 l/min 225 bar
TURNING RADIUS INSIDE/OUTSIDE	1240 / 2780 mm
LIFTING HEIGHT TO PIVOT POINT	3080 mm
MAX. LIFTING CAPACITY (HYDR.)	2100 kg
MAX. TIPPING LOAD *)	1400 kg
MAX. BREAKOUT FORCE / 50 CM	1700 kg
ENGINE MAKE AND TYPE	Kohler KDI 1903 TCR Stage V
ENGINE OUTPUT (ECE R120)	42 kW (57 hp)
MAXIMUM TORQUE	220 Nm @ 1500 rpm
FUEL	Diesel
PRODUCT NO:	A438150

*) With extra counterweights

PULLING FORCE

**WHEEL SIZE**

320/60-12
and 26x12.00-12
320/55-15

DRIVE SPEED

17 km/h
18 km/h

PULLING FORCE

1330 kp
1240 kp

**WIDTH****WHEEL SIZE**

27 x 8.50 - 15
26 x 12.00 - 12
320/60-12 HD
320/55-15

PROFILE

TR
TR or grass
TR
TR or grass

WIDTH

1030 mm
1295 mm
1295 mm
1305 mm

HEIGHT WITH CAB


.	320-60/12 AND 26X12.00-12	320/55-15*
L Cab	2060 mm	2094 mm
LX Cab (735 only)	2078 mm	2112 mm
DLX Cab	2105 mm	2139 mm
DLX Cab with A/C on the roof	2241 mm	2275 mm

*) With 400/50-15 machine is 30 mm higher



AVANT[®]
(/uk)
UK

DIMENSIONS



ask a question.